

Fig. 1A




Fig. 3

09885263 062001




Fig. 2




Fig. 1B




Fig. 4

40

	TIME	DEVICES IN NETWORK	LOCATION
50	9.00 21.05.01	XP260;XP261;H630;Q4362;A900;GI;PC100	6752.3241
52	9.10 21.05.01	XP260; XP261;H630;Q4362;A900;H777;GI;PC100	6752.3241
54	9.50 21.05.01	XP260; XP261;S428;GI; PC100	6752.3241
56	11.30 21.05.01	XP260;XP261;GI; PC100	6752.3241
58	11.40 21.05.01	XP260;XP261;C-1000;GI	6752.3242
60	11.50 21.05.01	XP260;XP261;C-1000;GI	6780.3290
62	12.00 21.05.01	XP260;XP261;Q500	6781.3291
64	18.10 21.05.01	XP260;GI	6781.3291
66	18.40 21.05.01	XP260;C-1000	6801.3315
68	18.50 21.05.01	XP260	6801.3350
70	22.30 21.05.01	XP260	6801.3350

Fig. 5




Fig. 6

© 2000 SAGE Publications, Inc.




Fig. 7




Fig. 8

0 9 8 6 5 2 8 5 9 0 6 2 0 0 4




Fig. 9